



Staff Listening Sessions Summary

All staff employed by the School District of Shiocton were given the opportunity to share their thoughts during several days of listening sessions conducted by Hoffman. Our goal is to seek consistency in the thoughts shared during the sessions. We received 737 comments related directly to facility concerns. Other informational comments were received but not included in this summary. We have grouped all input into 57 statements. The summary below outlines those summary statements with the most common responses listed first.

- Casework and storage issues (55 responses)
- Outdoor athletic improvements (54 responses)
- 3. Childcare (51 responses)
- 4. Playground issues (44 responses)
- Gymnasium improvements (42 responses)
- 6. Security and safety (32 responses)
- 7. Cafeteria / kitchen / food service issues (28 responses)
- 8. Classroom technology (28 responses)
- 9. Site circulation, parent pickup, parking, bussing (27 responses)
- 10. Flexible spaces for small groups and conferences (25 responses)
- 11. HVAC (24 responses)
- 12. Restroom quality and access (20 responses)
- 13. Locker rooms (19 responses)
- 14. Office needs (19 responses)
- 15. Secure entry (19 responses)
- 16. Auditorium and performing arts space (17 responses)
- 17. Sewer smell and odor issues (16 responses)
- 18. Update classroom furniture (16 responses)
- 19. Windows / natural lighting (16 responses)
- 20. Special education needs (14 responses)
- 21. Classroom flexibility (13 responses)
- 22. Color and materials (11 responses)
- 23. Electrical system and outlets (11 responses)
- 24. Staff supporting spaces (11 responses)
- 25. Signage and wayfinding (10 responses)
- 26. Additional large group space (Less than 10 responses)
- 27. Art space updates (10 responses or less)
- 28. Sound transmission issues (10 responses or less)
- 29. Water quality (10 responses or less)
- 30. Accessibility (10 responses or less)
- 31. Tech ed needs (10 responses or less)
- 32. Maintenance issues (10 responses or less)
- 33. Media center improvements (10 responses or less)
- Pool (10 responses or less)





- 35. Lighting improvements (10 responses or less)
- 36. Programs in wrong location (10 responses or less)
- 37. Improve music areas (10 responses or less)
- 38. Location of middle school (10 responses or less)
- 39. Public address / phone technology (Less than 10 responses)
- 40. Display areas (Less than 10 responses)
- 41. Family and consumer science issues (Less than 10 responses)
- 42. Fitness center needs (Less than 10 responses)
- 43. Space for maintenance functions (Less than 10 responses)
- 44. Student gathering space (Less than 10 responses)
- 45. Arrangement of building issues (Less than 10 responses)
- 46. Code issues (Less than 10 responses)
- 47. Concessions issues (Less than 10 responses)
- 48. Distance learning needs (Less than 10 responses)
- 49. Equitable spaces (Less than 10 responses)
- 50. General lack of space (Less than 10 responses)
- 51. Landscaping improvements (Less than 10 responses)
- 52. Outdoor classroom (Less than 10 responses)
- 53. Room size issues (Less than 10 responses)
- 54. Space needs created by childcare (Less than 10 responses)
- 55. STEAM integration (Less than 10 responses)
- 56. Undersized classrooms (Less than 10 responses)
- 57. Using inappropriate spaces for classrooms (Less than 10 responses)